

Double-sided positive insert for semi-finishing to finishing





ACCELERATED MACHINING







DoMini-Mill features the advantage of an economical **6-cornered double-sided insert with positive cutting edges** for profile milling of die & mold.

Multifunctional endmills for semi-finish or finishing operation with profile milling or plunging


Double sided with positive edge - innovative geometry

- The unique twisted peripheral shape provides positive flank clearance for double sided insert.
 - Positive insert positioning and sharper cutting edge improves cutting action and surface finish.
- Highly economical insert with 6 cutting edges.




High stability

- Dove-tail clamping system maintains the rigidity for accurate 3 dimensional machining.
 - Improves reliability in plunging operations.
- Back clearance angle with wall surface avoids chip packing allowing smooth cutting even in machining of square wall.
- Optimized geometry of cutting edge offers resistance to chipping in machining of steel and hardened material.




Dove-tail clamping system




High versatility

- Modular style endmills with metric and TungMeister thread allows flexibility to be used with various type of shanks or holder in TungHold and TungMeister series.
- Combinations of shank lengths and shank material guarantees versatility in machining operations.



Inserts

- H-class insert with high accuracy provides minimized runout.
- 2 sizes of corner radii available for various type of machining.
 - R = 0.5 mm: Suitable for general purpose with low depth and width of cut
 - R = 1.0 mm: Ideal for hardened steel machining due to improved corner strength
- AH110 grade with PremiumGTec and high wear resistance is ideal for hardened material machining.




WXHU04-MJ





CUTTING PERFORMANCE

Surface finish

P Carbon steel




Cutter : HFWX04M016M08R02
 ($\phi Dc = 16 \text{ mm}$, $z = 2$)
 Insert : WXHU040305R-MJ
 Workpiece material : SCM440 / 42CrMo4 (302HB)
 Cutting speed : $Vc = 300 \text{ m/min}$
 Feed per tooth : $fz = 0.15 \text{ mm/t}$
 Depth of cut : $ap = 0.15 \text{ mm}$
 Width of cut : $ae = 0.5 \text{ mm}$




Tool life

H Hardened steel




Cutter : HFWX04M016M08R02 ($\phi Dc = 16 \text{ mm}$, $z = 2$)
 Insert : WXHU040305R-MJ
 Workpiece material : SKD11 / X153CrMoV12 (58.5HRC)
 Cutting speed : $Vc = 100 \text{ m/min}$
 Feed per tooth : $fz = 0.15 \text{ mm/t}$
 Depth of cut : $ap = 0.15 \text{ mm}$
 Width of cut : $ae = 0.2 \text{ mm}$



Small-radius cutter for finishing operation

MODULAR HEAD - METRIC THREAD

DoMini-Mill HFWX04***M



Designation	ϕD_c	z	L6	Lf	C	T	D3	Ts	Kg	Insert
HFWX04M016M08R02	16.00	2	42.0	25.0	8.0	10.0	12.8	M8	0.03	WXHU04**
HFWX04M020M10R03	20.00	3	49.0	30.0	10.0	15.0	17.8	M10	0.05	WXHU04**
HFWX04M025M12R04	25.00	4	52.0	30.0	10.0	17.0	20.8	M12	0.09	WXHU04**

For details of metric shank, please refer to TungFlex series in TR413 TungHold


SPARE PARTS



Clamping screw	Wrench
SR34-514	T-7F

INSERT

WXHU-MJ



Designation	Max. ap	IC dia	T	rε	AH110	
WXHU040305R-MJ	0.5	6.35	3.18	0.5	●	●
WXHU040310R-MJ	1	6.35	3.18	1	●	●
					P	H




* For plunging, depth up to 2 mm is possible.

● First choice

STANDARD CUTTING CONDITIONS

ISO	Workpiece materials	Hardness (HB)	Grades	Cutting speed Vc (m/min)	Feed per tooth fz (mm/t)
P	High carbon steel (S45C / C45, S55C / C55, etc.)	200 - 300	AH110	100 - 300	0.1 - 0.3
	Alloy steel (SCM440 / 42CrMo4, SCr145, etc.)	150 - 300	AH110	100 - 300	0.1 - 0.3
	Prehardened steel (NAK80, PX5, etc.)	-	AH110	100 - 300	0.05 - 0.3
H	Hardened steel	(SKD61 / X40CrMoV5-1, etc.)	AH110	80 - 130	0.1 - 0.3
		(SKD11 / X153CrMoV12, etc.)	AH110	50 - 100	0.05 - 0.15


PRACTICAL EXAMPLES

Workpiece type	Mold	Mold	
Cutter	HFWX04M020M10R03 (ø20 mm, z = 3)	HFWX04M025M12R04 (ø25 mm, z = 4)	
Insert	WXHU040310R-MJ	WXHU040310R-MJ	
Grade	AH110	AH110	
Workpiece material	2738 (28 – 32 HRC)	DIN 1.2344 (50 – 52HRC)	
			
Cutting conditions	Cutting speed : Vc (m/min)	195	274
	Feed per tooth: fz (mm/t)	0.16	0.14
	Feed speed : Vf (mm/min)	1500	2000
	Depth of cut : ap (mm)	0.25	0.11
	Width of cut : ae (mm)	0.35	-
	Machining	Profiling	Profiling
	Coolant	Wet (internal, 40bar)	Dry
	Machine	Vertical M/C	Vertical M/C
Results	 <p>DoMini-Mill Competitor</p> <p>DoMini-Mill increased tool life by 42% because of lower cutting force compared to competitor's tool and grade with high wear resistance.</p>	<p>5 hours machining! New PremiumGTec grade with improved wear resistance achieved long tool life.</p>	

MEMO

A large grid of graph paper for taking notes, consisting of 20 columns and 30 rows of small squares.

Check our site and our App to get more info!



Tungaloy Corporation (Head office)

11-1 Yoshima-Kogyodanchi
Iwaki-city, Fukushima, 970-1144 Japan
Phone: +81-246-36-8501
Fax: +81-246-36-8542
www.tungaloy.co.jp

Tungaloy America, Inc.

3726 N Ventura Drive
Arlington Heights, IL 60004, U.S.A.
Phone: +1-888-554-8394
Fax: +1-888-554-8392
www.tungaloyamerica.com

Tungaloy Canada

432 Elgin St. Unit 3
Brantford, Ontario N3S 7P7, Canada
Phone: +1-519-758-5779
Fax: +1-519-758-5791
www.tungaloy.co.jp/ca

Tungaloy de Mexico S.A.

C Los Arellano 113,
Parque Industrial Siglo XXI
Aguascalientes, AGS, Mexico 20290
Phone: +52-449-929-5410
Fax: +52-449-929-5411
www.tungaloy.co.jp/mx

Tungaloy do Brasil Ltda.

Rua dos Sabias N.104
13280-000 Vinhedo, São Paulo, Brazil
Phone: +55-19-38262757
Fax: +55-19-38262757
www.tungaloy.com/br

Tungaloy Germany GmbH

An der Alten Ziegelei 1
D-40789 Monheim, Germany
Phone: +49-2173-90420-0
Fax: +49-2173-90420-19
www.tungaloy.de

Tungaloy France S.A.S.

ZA Courtaboeuf - Le Rio
1 rue de la Terre de feu
F-91952 Courtaboeuf Cedex, France
Phone: +33-1-6486-4300
Fax: +33-1-6907-7817
www.tungaloy.fr

Tungaloy Italia S.r.l.

Via E. Andolfato 10
I-20126 Milano, Italy
Phone: +39-02-252012-1
Fax: +39-02-252012-65
www.tungaloy.it

Tungaloy Czech s.r.o.

Turanka 115
CZ-627 00 Brno, Czech Republic
Phone: +420-532 123 391
Fax: +420-532 123 392
www.tungaloy.cz

Tungaloy Ibérica S.L.

C/Miquel Servet, 43B, Nau 7
Pol. Ind. Bufalvent
ES-08243 Manresa (BCN), Spain
Phone: +34 93 113 1360
Fax: +34 93 876 2798
www.tungaloy.es

Tungaloy Scandinavia AB

Bultgatan 38
442 40 Kungälv, Sweden
Phone: +46-462119200
Fax: +46-462119207
www.tungaloy.se

Tungaloy Rus, LLC

36-D Harkovsky Lane
308009 Belgorod, Russia
Phone: +7 4722 24 00 07
Fax: +7 4722 24 00 08
www.tungaloy.com/rp/ru

Tungaloy East LLC

Stachek str., h.4, office 2, Ekaterinburg,
620017, Russia
Phone: +7-343-389-13-22
Fax: +7-343-278-94-35
www.tungaloy.com.jp/rue

Tungaloy Polska Sp. z o.o.

ul. Genewska 24
03-963 Warszawa, Poland
Phone: +48-22-617-0890
Fax: +48-22-617-0890
www.tungaloy.com.jp/pl

Tungaloy U.K. Ltd

The Technology Centre,
Wolverhampton Science Park
Glaisher Drive, Wolverhampton
West Midlands WV10 9RU, UK
Phone: +44 121 4000 231
Fax: +44 121 270 9694
www.tungaloy.com.jp/uk
salesinfo@tungaloyuk.co.uk

Tungaloy Hungary Kft

Erzsébet királyné útja 125
H-1142 Budapest, Hungary
Phone: +36 1 781-6846
Fax: +36 1 781-6866
www.tungaloy.com/hu
info@tungaloytools.hu

Tungaloy Turkey

Dudullu, OSB 4. Cad No:4
34776 Umraniye Istanbul, TURKEY
Phone: +90 216 540 04 67
Fax: +90 216 540 04 87
www.tungaloy.com.tr
info@tungaloy.com.tr

Tungaloy Benelux b.v.

Tjalk 70
NL-2411 NZ Bodegraven, Netherlands
Phone: +31 172 630 420
Fax: +31 172 630 429
www.tungaloy-benelux.com

Tungaloy Croatia

Josipa Kozarica 4
10432 Bregana, Croatia
Phone: +385 1 3326 604
Fax: +385 1 3327 683
www.tungaloy.hr

Tungaloy Cutting Tool (Shanghai) Co., Ltd.

Rm No 401 No.88 Zhabei
Jiangchang No.3 Rd
Shanghai 200436, China
Phone: +86-21-3632-1880
Fax: +86-21-3621-1918
www.tungaloy.com.jp/tcts

Tungaloy Cutting Tool (Thailand) Co., Ltd.

Interlink tower 4th Fl.
1858/5-7 Bangna-Trad Road
km.5 Bangna, Bangna, Bangkok 10260
Thailand
Phone: +66-2-751-5711
Fax: +66-2-751-5715
www.tungaloy.co.th

Tungaloy Singapore (Pte.), Ltd.

62 Ubi Road 1, #06-11 Oxley BizHub 2
Singapore 408734
Phone: +65-6391-1833
Fax: +65-6299-4557
www.tungaloy.com.jp/tspl

Tungaloy Vietnam

Unit 18, 4th Fl. Saigon Centre Building
65 Le Loi Blvd.
Dist 1, Ho Chi Minh City, Vietnam
Phone: +84-8-3827-0201
Fax: +84-8-3827-0203
www.tungaloy.com.jp/tspl

Tungaloy India Pvt. Ltd.

Indiabulls Finance Centre,
Unit # 902-A, 9th Floor,
Tower 1, Senapati Bapat Marg,
Elphinstone Road (West),
Mumbai -400013, India
Phone: +91-22-6124-8804
Fax: +91-22-6124-8899
www.tungaloy.com.jp/in

Tungaloy Korea Co., Ltd

#1312, Byucksan Digital Valley 5-cha
Beotkkot-ro 244, Geumcheon-gu
153-788 Seoul, Korea
Phone: +82-2-2621-6161
Fax: +82-2-6393-8952
www.tungaloy.com.jp/kr

Tungaloy Malaysia Sdn Bhd

50 K-2, Kelana Mall, Jalan SS6/14
Kelana Jaya, 47301
Petaling Jaya, Selangor Darul Ehsan
Malaysia
Phone: +603-7805-3222
Fax: +603-7804-8563
www.tungaloy.com.jp/my

Tungaloy Australia Pty Ltd

PO Box 2232, Rowville,
Victoria 3178, Australia
Phone: +61-3-9755-8147
Fax: +61-3-9755-6070
www.tungaloy.com.au

PT. Tungaloy Indonesia

Kompleks Grand Wisata Block AA-10 No.3-5
Cibitung
Bekasi 17510, Indonesia
Phone: +62-21-8261-5808
Fax: +62-21-8261-5809
www.tungaloy.com.jp/id



www.tungaloy.com

follow us at:

facebook.com/tungaloyjapan

twitter.com/tungaloyjapan

To see this product in action visit:

Tung-TV

www.youtube.com/tungaloycorporation

Distributed by:



DOWNLOAD
Dr. Carbide App



Available on the
App Store



GET IT ON
Google play



AS9100 Certified
78006
2015.11.04
ISO14001 Certified
EC97J1123
1997.11.26

Produced from Recycled paper Apr. 2017 (TJ)